

LISTING OF THE CLAIMS

1. (currently amended) An apparatus for controlling an image display comprising:

a determining unit configured to determine whether or not material data is combined with frame rate information as associated information; and

a controller configured to control the image display to display said material data ~~that is combined with the frame rate information as the associated information~~ along a time axis in a reproduction order in a frame image representation region, ~~the width of the frame image representation region being~~ having a width that is altered according to a reproduction time calculated based on a the reproduction speed, the width of the frame image representation region representing the entire reproduction time of the material data.

2-4. (cancelled)

5. (previously presented) The apparatus according to claim 1, wherein said controller sets a speed range available for reproduction on said material data based on said associated information, and said controller controls the image display to display said set speed range.

6-8. (cancelled)

9. (previously presented) The apparatus according to claim 5, wherein said controller controls said image display to display an indication for indicating the reproduction speed.

10. (cancelled)

11. (previously presented) The apparatus according to claim 5, wherein said controller controls the image display to display said set speed range with an indication for indicating the reproduction speed;

wherein said indication varies in synchronization with alteration according to an operation for altering said indicated width of said material data in said frame image representation region; and

wherein said indicated width of said frame image representation region varies in synchronization with alteration according to an operation for adjusting the indication.

12-25. (cancelled)

26. (previously presented) The apparatus according to claim 1, wherein said indicated width of the frame image representation region becomes longer when the reproduction speed of said data materials is altered to be slower, while said indicated width of the frame image representation region becomes shorter when the reproduction speed of said data materials is altered to be faster.

27. (previously presented) The apparatus according to claim 1, wherein the reproduction speed of said data materials becomes slower when said indicated width of the frame image representation region is altered to be enlarged, while the reproduction speed of said data materials becomes faster when said indicated width of the frame image representation region is altered to be shortened.

28. (currently amended) A method of controlling an image display, comprising:

determining whether or not material data is combined with frame rate information as associated information; and

displaying said material data along a time axis in a reproduction order in a frame image representation within the image display, ~~the width of the frame image representation region being~~ having a width that is altered according to a reproduction time calculated based on a the reproduction speed, the width of the frame image representation region representing the entire reproduction time of the material data.

29. (currently amended) A computer-readable storage medium encoded with instructions that, when executed within a computer, cause the computer to carry out a method of controlling an image display, comprising:

determining whether or not material data is combined with frame rate
information as associated information; and

displaying said material data along a time axis in a reproduction order in a
frame image representation within the image display, ~~the width of the~~
frame image representation region ~~being~~ having a width that is altered
according to a reproduction time calculated based on ~~a~~ the reproduction
speed, the width of the frame image representation region representing the
entire reproduction time of the material data.